



Fully-Integrated Correctional Meal Delivery Systems



Fully-Integrated Correctional Meal Delivery Systems

What do we mean by “Fully-Integrated Correctional Meal Delivery Systems”?

Fully-Integrated All of the tray and cart options from one vendor ensures that the right number of trays fit in the right cart so that you deliver enough meals at one time. Everything is sized to work together.

Correctional Every product in this catalog was designed for the corrections environment. Hinder weapons making, hinder contraband hiding, durability for rough handling

Meal Delivery Systems Regardless of your process, we have a system that can support. Cafeteria feeding, In-cell feeding, Quick delivery, Max security lock-down, High population special housing units, etc. Free consultation available.

Check us out with no risk

- Free samples available for dinnerware
- Free equipment demo at your facility for qualifying applications

For a quote or to get more information, call (800) 848-8160 or email jzsales@joneszylon.com.

Sincerely,

A handwritten signature in black ink that reads 'Tracey Zachrich'.

Tracey Zachrich
CEO / Owner
The JonesZylon Company

Take a closer look at some truly unique products...

SmartTray page 3

Mission Ready equipment page 8-9

Equipment Options page 12

Insert Drying Racks page 13

Contents



DINNERWARE | 2-6

- MAIN LINE SERVING TRAYS 2
- SEGREGATION SERVING TRAYS 2
- COOK/CHILL RETHERMALIZATION TRAYS 2
- SmartTrays 3
- INSULATED TRAYS 4
- MAX-FLEX DINNERWARE 4
- TUMBLERS, CUPS & MUGS 5
- EATING UTENSILS 5
- PLATES & BOWLS 6
- SPOONDLES 6



HEATED & REFRIGERATED FOOD SERVICE EQUIPMENT | 7-12

- BULK FOOD HOLDING CABINETS 7
- MISSION-READY HEATED/DUAL-TEMP CARTS 8-9
- STANDARD HEATED CARTS 10
- STANDARD DUAL TEMP MEAL DELIVERY CARTS 11
- EQUIPMENT OPTIONS AND ACCESSORIES 12
- MISSION-READY SPECIFIC OPTIONS 12



RACKS and CARTS | 13-16

- DRYING RACKS 13
- BUN PAN RACKS 14
- CAFETERIA TRAY STAGING CARTS 14
- OPEN TRAY TRANSPORT CARTS 14
- SERVESMART CARTS 15
- ENCLOSED TRAY TRANSPORT CARTS 15
- CASTER OPTIONS 16

CORRECTIONS HYGIENE / ADMISSION KITS | 16



Quick Connect Feature

Use a QR code reader to link directly to the JonesZylon website when you see the Quick Connect link in this catalog.

DINNERWARE











Correctional dinnerware is made to resist being made into a weapon. Copolymer material won't break into shards or sharpen into edges. It is made to be durable in a punishing environment. For the last 50 years JonesZylon has innovated to offer the best in class correctional dinnerware.

3-7 COMPARTMENT MEAL TRAYS









This broad line of meal trays offers proven solutions to any corrections application whether you serve in a cafeteria, transport to remote serving areas, or deliver to segregation units. All trays resist staining and scratching, are reinforced to maximize durability and have a unique slope angle to make each compartment look more full of food and easier to clean.



MAIN LINE SERVING TRAYS





Item	Capacity/Oz.	Style	Copolymer	Clear Lid	Polycarbonate	Clear Lid	Dimensions	Buff	Choc	Teal	Case Qty
		5 Compartment	PPST-14				14-1/4 x 9-7/8 x 7/8"	☑	☑	☑	24
		5 Compartment	PPST-28	PPSTL-28	ST-28	STL-28	14-1/8 x 9-3/4 x 1-1/2"	☑	☑	☑	24
		6 Compartment	PPST-200		ST-200		14-7/8 x 10-3/4 x 1-1/2"	☑	☑	☑	24
		6 Compartment	PPST-1570		ST-1570		14-7/8 x 9-1/2 x 1-3/8"	☑	☑	☑	24
		E-Z Tray	PPST-67		ST-67		17-3/4 x 11-3/4 x 1-1/2"	☑	☑	☑	24

SEGREGATION SERVING TRAYS

Item	Capacity/Oz.	Style	Copolymer	Clear Lid	Polycarbonate	Clear Lid	Dimensions *	Buff	Choc	Teal	Case Qty
		4 Compartment	PPST-9400	PPJZL-9	ST-9400	JZL-9	10-3/4 x 8-7/8 x 2-1/4"	☑	☑	☑	24
		3 Compartment	PPST-9300	PPJZL-9	ST-9300	JZL-9	10-3/4 x 8-7/8 x 2-1/4"	☑	☑	☑	24
		3 Compartment	JZCC-5200	JZL-5200	JZCC-5225	JZL-5225	9-1/4 x 6-3/4 x 2-1/4"	☑	☑	☑	24
		3 Compartment	JZCC-4200	JZL-4200	JZCC-4225	JZL-4225	8-3/4 x 6-5/8 x 2"	☑	☑	☑	24

* Dimensions are with lid on

COOK/CHILL RETHERMALIZATION TRAYS


Item	Capacity/Oz.	Style	Polyphenylsulfone Tray	Lid	Dimensions *	Black	Teal	Case Qty
		3 Compartment	JZCC-5400	JZL-5400	9-1/4 x 6-3/4 x 2-1/4"	☑	☑	24
		3 Compartment	JZCC-4400	JZL-4400	8-3/4 x 6-5/8 x 2"	☑	☑	24

* Dimensions are with lid on

FEATURES

- » 400° F
- » No shatter
- » Most durable tray available

COPOLYMER CUSTOM COLORS AVAILABLE



POLYCARBONATE CUSTOM COLORS AVAILABLE



DINNERWARE

SmartTrays

SmartTrays are solid molded construction meal trays specifically designed to accommodate most menus, protect food, last longer and stack with stability to provide superior meal delivery.



SmartTrays

Item	Capacity/Oz.	Style	Copolymer	Flex	Dimensions	Brick	Choc	Case Qty
		5 Compartment	SMART-5	SMARTB-5	13.4 x 9.25 x 1.9"	☑	☑	12



FEATURES of the SmartTrays

- » 5 food compartments to accommodate most menus
- » Compartments sealed off from one another to separate food
- » Sized to fit SmartCarts perfectly for efficient meal delivery
- » Tray bottom is the lid for the tray below it - No lids needed
- » Ample compartment height to keep food off of tray bottom
- » Can stack in either direction and without lids
- » Flatware compartment
- » Condiment compartment
- » Lids available for top of stack
- » Stock colors in Brick and Brown
- » Good heat retention

SmartTray LIDS

Item	Capacity/Oz.	Style	Copolymer	Flex	Dimensions	Brick	Choc	Case Qty
		5 Compartment	SMARTL-5	SMARTLB-5	13.4 x 9.25 x .86"	☑	☑	12



FEATURES of the SmartTray Lids

- » Compartment layout matches tray to seal off each compartment
- » Can use as the one lid on top of each stack of trays
- » Can also use a lid on each tray. Corner ribs on top help center each tray for a straight stable stack
- » 0.63" compartment height helps keep food from sticking to inside bottom of lid
- » Can interlock on a tray in either direction



Max-Flex blend

- » Proprietary polymer formulation
- » Too soft to easily fashion into a weapon
- » Material will tear instead of breaking
- » Optimized durability and stiff enough to resist wear
- » Withstands temperatures from 0 to 212°F
- » Significantly cheaper and more earth-friendly than silicon
- » Reusable and recyclable
- » Dishwasher safe and microwave safe

Copolymer (copoly)

- » Economical
- » Break, chip and crack resistant
- » Withstands temperatures from 0 to 212°F
- » Reusable and recyclable
- » Dishwasher safe and microwave safe



FREE
with the purchase of Every Meal Cart
A complete set of
MEAL TRAYS AND LIDS

JonesZylon offers multiple tray-cart pairing options

JZ-6UBT-RH **90**
SmartTrays

JZ-198 **168**
SmartTrays

JZ-168 **170**
SmartTrays

(see page 8 for SmartCart details)


DINNERWARE

INSULATED TRAYS

The most durable insulated tray on the market!

- The enhanced design significantly increases wall thickness in the areas most vulnerable to fracturing, impeding water from getting inside the tray through cracks and holes.
- The corner plug is 'welded' in with a proprietary process that ensures a long lasting seal.
- The interior foam is modified with a hydrophobic additive that repels moisture, resisting your trays from becoming water-logged bacteria farms like other trays.

Competitor primary failure point



JonesZylon substantial and consistent wall thickness

INSULATED TRAYS

Item	Description	Capacity/Oz.	Lid	Dimensions	Teal	Buff	Choc	Brick	Case Qty
	PRTS-4001 Uni-Directional 4-Compartment			14-7/8 x 13-1/4 x 2-3/8"		☑	☑		12
	PRTS-4000 Bi-Directional 4-Compartment			14-7/8 x 13-1/4 x 2-3/8"		☑	☑		12
	PRTS-5000 5-Compartment		PRTSL-5000 Lid: 1"H	14-3/8 x 11-1/8 x 2"			☑	☑	12
	PRTS-6000 6-Compartment		PRTSL-6000 Lid: 1.5"H	15-1/4 x 13-1/2 x 2-3/8"	☑		☑		12

STANDARD FEATURES

- » Compartments individually seal when stacked. Hot stays hot, and cold stays cold.
- » Material blend for superior impact resistance and durability
- » Interior bead around perimeter for added strength

- » Economate® foam system completely fills interior area
- » Temperature range; -40°F to 190°F; dishwasher safe
- » Meets FDA requirements as a multi-use product for public food service

MAX-FLEX PRODUCTS

MAX-FLEX dinnerware is blended to maximize safety and durability

SAFE The specially formulated resin provides the ultimate in safety for your officers and inmates. Guaranteed! You cannot create a dangerous weapon out of this material. Ultra-flexible, it can't be sharpened. When melted, it does not harden when cooled.

- Perfect for high security and suicide watch populations.

DURABLE Blended with other materials to increase durometer

- While maintaining the safety feature, the material properties are modified to resist cutting and wear.
- Perfect to replace Styrofoam clamshells. You can save a lot of money by switching to this reusable product. Contact your JonesZylon representative for a free cost model to calculate your savings.



Item	Description	Clear Lid	Dimensions	Teal	Choc	Case Qty	Item	Description	Clear Lid	Dimensions	Teal	Choc	Case Qty
	FXSTB-9300/9400 Seg Tray	FXLB-9	*10-3/4 x 8-7/8 x 2-1/4"	☑	☑	24		FXV-12 12 oz Tumbler		5-1/8 x 2-7/8"		☑	72
	FXSTB-5300 Seg Tray	FXLB-5	*9-1/4 x 6-3/4 x 2-3/8"	☑	☑	24		FXV-16 16 oz Tumbler		5-3/4 x 3-1/8"		☑	72
	FXSTB-4300 Seg Tray	FXLB-4	*8-3/4 x 6-5/8 x 2"	☑	☑	24		FXS-7 8 oz Cup		3 x 3-1/4"		☑	72
	FXSSB-15 15 oz Rimless Bowl		5-1/4 x 2-1/8"		☑	72		FXSM-8/9 9.5 oz Mug		3-7/8 x 2-7/8"	☑	☑	72
	FXSTB-28 5-Compartment Tray	FXLB-28	*14-3/8 x 10 x 2-1/2"	☑	☑	24		FXSM-10 13 oz Mug		3-7/8 x 3-3/8"	☑	☑	72
	FXV-6 5 oz Tumbler		3-1/2 x 2-3/8"	☑	☑	72		FXSSC-6 Flex Soup Spoon		6-1/4"		☑	432
	FXV-10 9 oz Tumbler		4 x 2-3/4"	☑	☑	72		FXSF-7 Flex Spork		6-1/2"	☑		360

* Dimensions are with lid on

Orange

Orange Buff

DINNERWARE

TUMBLERS, CUPS & MUGS

The Wave tumbler features a pattern of textured and smooth surfaces that provide a sure grip while reducing scratches. A smooth rim and smooth interior surface assures sanitary cleaning. Stacking lugs prevent sticking when stacking, even when put away wet and the 3-sided V-cut drain bottom speeds drying.

The Stacking Mug features a bottom ring that nests into the mouth of the mug below to allow straight, stable stacking. Wide, ergonomic handles allow for large fingers to have a comfortable grip.



Item	Description	Copoly	Polycarb	Size Ht. x Dia.	Buff	Choc	Teal	Amber	Case Qty
	SC-7 8 oz Cup	☑		3 x 3-1/4"	☑	☑	☑		72
	SM-8/9 9.5 oz Mug	☑		3-7/8 x 2-7/8"	☑	☑			72
	SM-10 13 oz Mug	☑		3-7/8 x 3-3/8"	☑	☑	☑		72
	PCWT-12 12 oz Tumbler		☑	5-1/4 x 2-7/8"				☑	72

Item	Description	Copoly	Polycarb	Size Ht. x Dia.	Buff	Choc	Teal	Trans	Orange	Case Qty
	V-6 5 oz Tumbler	☑		3-5/8 x 2-1/4"	☑				☑	72
	V-10 8.5 oz Tumbler	☑		4 x 2-3/4"	☑	☑	☑	☑	☑	72
	V-12 12 oz Tumbler	☑		5-1/8 x 2-7/8"	☑	☑	☑	☑		72
	V-16 15.5 oz Tumbler	☑		5-3/4 x 3-1/8"	☑	☑	☑	☑	☑	72

EATING UTENSILS

SAFETY FLATWARE

Designed with a narrow neck to provide just enough strength to support a scoop of food yet too weak and flexible to easily be used as a weapon. The beaded edge provides for an easier grip.

BIG GRIP™ FLATWARE

It's as close as you can come to the heavy, rigid feel of real silverware. These comfortable-to-grip utensils feature handles that are thick and textured with ergonomic shapes.



Item	Description	Copoly	Size	Buff	Orange	Case Qty
	K-7 Safety Knife	☑	6-7/8"	☑	☑	360
	F-7 Safety Fork	☑	6-7/8"	☑	☑	360
	OB-6 Safety Spoon	☑	6-1/2"	☑	☑	360
	SF-7 Safety Spork	☑	6-1/2"	☑	☑	360
	PPK-8 BIG GRIP™ Knife	☑	8-1/2"	☑	☑	432
	PPF-7 BIG GRIP™ Fork	☑	7-1/4"	☑	☑	432
	PPSS-6 BIG GRIP™ Soup Spoon	☑	6-1/4"	☑	☑	432
	PPTS-6 BIG GRIP™ Tea Spoon	☑	6-1/8"	☑	☑	432

Item	Description	Polycarb	Size	Buff	Yellow	Case Qty
	PCK-8 BIG GRIP™ Knife	☑	8-1/2"	☑	☑	432
	PCF-7 BIG GRIP™ Fork	☑	7-3/8"	☑	☑	432
	PCSS-6 BIG GRIP™ Soup Spoon	☑	6-1/4"	☑	☑	432
	PCTS-6 BIG GRIP™ Tea Spoon	☑	6-1/4"	☑	☑	432
	PCSF-7 Spork	☑	6-5/8"	☑		360

OPTIONS AND FEATURES for tumblers, cups, mugs, and eating utensils

All items are standard in copoly material. The 12oz tumbler is standard in either copoly or polycarbonate and the other items can be custom ordered in polycarbonate.

Copolymer (copoly)

- » Shatterproof and resists sharpening
- » Reusable and recyclable
- » Dishwasher safe and microwave reheatable
- » Withstands temperatures from -40°F to 212°F

Polycarbonate (polycarb)

- » Break, stain and scratch resistant
- » Reusable and recyclable
- » Dishwasher safe and microwave reheatable
- » Withstands temperatures from -40°F to 225°F

DINNERWARE



PLATES & BOWLS

This broad line of plates and bowls offers a variety of options for cafeteria style dining. Perfect for preplated menu items such as deserts and salads or used as stacked dinnerware at buffet tables.

Item	Description	Copoly	Polycarb	Size	Buff	Choc	Teal	Case Qty
	NDP-9 Dinner Plate	☑		9"	☑			72
	SDP-6 Dessert Plate	☑		6-3/8"	☑			72
	SRSB-15 16 oz Rimmed Bowl	☑		6-1/2 x 2-1/4"	☑	☑		72
	SSB-15 15 oz Rimless Bowl	☑		5-1/4 x 2-1/4"	☑	☑	☑	72
	SVD-5 5 oz Vegetable Dish	☑		5 x 1-1/4"	☑			72

Copolymer (copoly) standard

- » Shatterproof and resists sharpening
- » Reusable and recyclable
- » Dishwasher safe and microwave reheatable
- » Withstands temperatures from -40°f to 212°f

Polycarbonate (polycarb) custom

- » Break, stain and scratch resistant
- » Reusable and recyclable
- » Dishwasher safe and microwave reheatable
- » Withstands temperatures from -40°f to 225°f

THE INCREDIBLE SPOONDL

It's a spoon... It's a ladle... No, it's a spoondle™, a handy utensil for serving soups, potatoes, pastas, steamed vegetables and similar foods. This one comes with an interesting twist you won't find anywhere else. Its small bowl diameter prevents overfill, allowing for better portion control while the unique nose design allows you to get into the corners of the serving pan.

The JonesZylon spoondle™ is molded from a specially-formulated nylon material in bright colors, making it easy to distinguish different sizes.

You can't make weapons with JonesZylon spoondles™ as you can do with stainless steel products or replace them as frequently as you must with easier-to-break polycarbonates.

Item	Description	Dimensions Length	Choc	Green	Gray	Blue	Gold	Case Qty
	2 Oz. Perforated & Solid	11"	☑					6
	4 Oz. Perforated & Solid	11-3/8"		☑				6
	6 Oz. Perforated & Solid	11-7/8"			☑			6
	8 Oz. Perforated & Solid	12"				☑		6
	10 Oz. Perforated & Solid	12-1/4"					☑	6

FEATURES of the spoondles

- » Available in 2, 4, 6, 8, or 10 oz
- » Each size available in solid or perforated
- » Stackable
- » Spade-shaped head for much less waste in serving pan and superior portion control
- » Serving sizes marked on handle
- » Spoondles are color-coded by serving size
- » Comfort-grip handle and convenient hanging hole
- » Rigid, durable handle design
- » Break and stain resistance
- » Increased scratch resistance
- » Durable
- » Withstands temperatures from -40°f to 310°f
- » Dishwasher safe
- » Microwave safe
- » Reusable and recyclable



PRO TIP

Use perforated bottomed spoondles for thick foods like mac-n-cheese. The holes prevent suction from holding the food so it will fall right out.

HEATED & REFRIGERATED FOOD SERVICE EQUIPMENT

BULK FOOD HOLDING CABINETS

Prepare large batches of food and then hold in steam pans or on sheet pans until meal time. Keep the food at safe temperatures with active heat and active refrigeration. Multiple sizes/capacity to choose from. Mission Ready technology with removable heat boxes available. You can also use this equipment to transport bulk food from kitchen to satellite serving areas.



Model	Image	Features	Dimensions	Slide Space	Capacity		
					Description	Quantity	
JZH-12UBT-RH MISSION READY HEATED HOLDING CABINET (HOT BOX)		<ul style="list-style-type: none"> » 6" multi-terrain casters » Full perimeter bumper » 120v / 1700w / 14.2amp » Snap-in removable heater 	<ul style="list-style-type: none"> » 16-gauge stainless universal pan slides welded to 16-gauge mounting channels that are removable for cleaning. (custom spacing available) 	Height: 67.5" Width: 30.5" Depth: 38"	4.5"	18 x 26 sheet pans	12
						4" 12 x 20 steam pans	24
JZH-6UBT-RH MISSION READY SMALL HOLDING CABINET		<ul style="list-style-type: none"> » 6" multi-terrain casters » Full perimeter bumper » 120v / 1700w / 14.2amp » Snap-in removable heater 	<ul style="list-style-type: none"> » 16-gauge stainless universal pan slides welded to 16-gauge mounting channels that are removable for cleaning. (custom spacing available) 	Height: 47" Width: 30.5" Depth: 38"	4.5"	18 x 26 sheet pans	7
						4" 12 x 20 steam pans	14
JZ-168 MISSION READY SHORT 2-DOOR HOLDING CABINET		<ul style="list-style-type: none"> » 6" multi-terrain casters » Full perimeter bumper » 120v / 1700w / 14.2amp (heated or heated/ambient version) » Snap-in removable heater 	<ul style="list-style-type: none"> » 16-gauge stainless universal pan slides welded to 16-gauge mounting channels that are removable for cleaning. (custom spacing available) » Can be heated, heated/ambient, heated/refrigerated, or refrigerated/refrigerated 	Height: 47" Width: 61" Depth: 32.5"	4.5"	18 x 26 sheet pans	14
						4" 12 x 20 steam pans	28
JZH-12UBT HEATED HOLDING CABINET (HOT BOX)		<ul style="list-style-type: none"> » 6" multi-terrain casters » Full perimeter bumper » 120v / 1700w / 14.2amp 	<ul style="list-style-type: none"> » 16-gauge stainless universal pan slides welded to 16-gauge mounting channels that are removable for cleaning. (custom spacing available) 	Height: 72" Width: 28.8" Depth: 35.75"	4.5"	18 x 26 sheet pans	12
						4" 12x20 steam pans	24
JZR-6UBT SMALL REFRIGERATED CABINET/CART		<ul style="list-style-type: none"> » 6" HD Poly » Full perimeter bumper » 120v / 780w / 6.5amp 	<ul style="list-style-type: none"> » 16-gauge stainless universal pan slides welded to 16-gauge mounting channels that are removable for cleaning. (custom spacing available) 	Height: 62.2" Width: 34.5" Depth: 36.5"	4.5"	18 x 26 sheet pans	7
						4" 12 x 20 steam pans	14
JZR-10UBT REFRIGERATED HOLDING CABINET		<ul style="list-style-type: none"> » 6" HD Poly » Full perimeter bumper » 120v / 780w / 6.5amp 	<ul style="list-style-type: none"> » 16-gauge stainless universal pan slides welded to 16-gauge mounting channels that are removable for cleaning. (custom spacing available) 	Height: 74.5" Width: 34.5" Depth: 36.5"	4.5"	18 x 26 sheet pans	10
						4" 12 x 20 steam pans	20
JZHR-144 HEATED/REFRIGERATED CABINET/CART		<ul style="list-style-type: none"> » 8" multi-terrain casters » Full perimeter bumper » 120v / 1680w / 14amp 	<ul style="list-style-type: none"> » Universal racks for steam pans or sheet pans. Removable for cleaning. » Can be heated/heated, heated/ambient, heated/refrigerated, or refrigerated/refrigerated 	Height: 63.5" w/ refrigerator: 75.75" Width: 62.3" Depth: 31.8"	4.5"	18 x 26 sheet pans	20
						4" 12 x 20 steam pans	40

HEATED & REFRIGERATED FOOD SERVICE EQUIPMENT

MISSION-READY TECHNOLOGY

The latest innovation in meal delivery carts features a self-contained heating unit that is both removable and interchangeable among multiple carts, including the standard "hot box", large capacity meal delivery carts and smaller capacity carts. All Mission-Ready carts have "snap-in" and interchangeable heaters to maximize your uptime! Washing and maintaining your cart has never been easier.

All equipment is certified for UL, DOE, and NSF, and has 1 year parts and labor warranty.








MISSION-READY HEATED CARTS

	Features	Dimensions	Capacity			
JZH-6UBT-RH	 <ul style="list-style-type: none"> » Small meal delivery cart maneuvers through tight spaces such as old doorways and elevators. » Surprisingly good capacity and very Heavy Duty. » 6" multi-terrain casters » 30.75" width fits most all doorways » Heavy duty corrections package » Easy to see over while pushing » Can carry up to 14 4" pans » Transport tumblers, etc. on top » Solar digital thermometer » Low maintenance » 120v / 1700w / 14.2amp 	Height: 47.3" Width: 30.75" Depth: 38.25"	SEGREGATION TRAYS	Tray	Cavity	# Trays
				PPST-9300/9400	3/4	90
				JZCC-5200	3	150
				JZCC-4200	3	160
	INSULATED TRAYS		PRTS-4000	4	28	
			PRTS-5000	5	64	
			PRTS-6000	6	28	
	STACKING TRAYS		SMART	5	90	
			Rock type	5	80	
			X-tray type	5	60	
JZH-168	 <ul style="list-style-type: none"> » High capacity heated cart that is short enough to see over while pushing. » Can be configured for meal tray delivery or bulk food pan delivery. » 6" multi-terrain casters » Short double door cart » Heavy duty corrections package » Easy to see over while pushing » Can carry up to 28 4" pans » Transport tumblers, etc. on top » Solar digital thermometer » Low maintenance » 120v / 1700w / 14.2amp 	Height: 47.5" Width: 62.875" Depth: 32.5"	SEGREGATION TRAYS	Tray	Cavity	# Trays
				PPST-9300/9400	3/4	168
				JZCC-5200	3	280
				JZCC-4200	3	315
	INSULATED TRAYS		PRTS-4000	4	78	
			PRTS-5000	5	112	
			PRTS-6000	6	84	
	STACKING TRAYS		SMART	5	170	
			Rock type	5	140	
			X-tray type	5	98	
JZH-198	 <ul style="list-style-type: none"> » Large capacity heated meal delivery cart. Ideal for larger housing units. » 6" multi-terrain casters » S/S mid-shelf (additional shelves optional) » Bottom baffle heat distribution » Top rail to transport tumblers, etc. » Solar digital thermometer » Low maintenance » 120v / 1700w / 14.2amp 	Height: 64.5" Width: 46" Depth: 31.75"	SEGREGATION TRAYS	Tray	Cavity	# Trays
				PPST-9300/9400	3/4	198
				JZCC-5200	3	260
				JZCC-4200	3	360
	INSULATED TRAYS		PRTS-4000	4	80	
			PRTS-5000	5	92	
			PRTS-6000	6	76	
	STACKING TRAYS		SMART	5	168	
			Rock type	5	140	
			X-tray type	5	100	
JZH-198HD	 <ul style="list-style-type: none"> » Large capacity heated meal delivery cart. Extreme Heavy Duty for the most punishing applications. Ideal for larger housing units. » 8" premium casters » S/S mid-shelf (additional shelves optional) » Recessed push handle » Extreme Heavy Duty Corrections package » Bottom baffle heat distribution » Top rail to transport tumblers, etc. » Solar digital thermometer » Top bumper » Bolt reinforcement for bumpers » Weld reinforced hinges » Widened wheel base » Reinforced security latch » Exterior handle on heater side » Low maintenance » 120v / 1700w / 14.2amp 	Height: 66.5" Width: 46" Depth: 32.75"	SEGREGATION TRAYS	Tray	Cavity	# Trays
				PPST-9300/9400	3/4	198
				JZCC-5200	3	260
				JZCC-4200	3	360
	INSULATED TRAYS		PRTS-4000	4	80	
			PRTS-5000	5	92	
			PRTS-6000	6	76	
	STACKING TRAYS		SMART	5	168	
			Rock type	5	140	
			X-tray type	5	100	

FREE
with the purchase of Every Meal Cart
A complete set of
MEAL TRAYS AND LIDS

MISSION-READY DUAL TEMP CARTS (HOT/COLD CARTS)


	Features	Dimensions	Capacity																
JZHA-84-RH	 <ul style="list-style-type: none"> » A small size dual temp cart to deliver 42 meals with a hot tray in heated section and a cold tray in ambient section. Trays with lids stack on floor. Can deliver as many as 56 meals with smaller seg trays. » 6" multi-terrain casters (2 swivel with brake, 2 rigid) » Side mount push/pull handles on both sides » Bottom baffle heat distribution » Top rail to transport drink service, etc. » Side mount snap-in removable heater, left side » Bolt reinforced bottom bumper » Solar digital thermometer » Widened wheel base » 1 yr parts and labor warranty 	Height: 47.5" Width: 36.63" Depth: 32.5"	<table border="1"> <thead> <tr> <th>SEGRIGATION TRAYS</th> <th>Tray</th> <th>Cavity</th> <th># Trays</th> </tr> </thead> <tbody> <tr> <td>PPST-9300/9400</td> <td></td> <td>3/4</td> <td>84</td> </tr> <tr> <td>JZCC-5200</td> <td></td> <td>3</td> <td>112</td> </tr> <tr> <td>JZCC-4200</td> <td></td> <td>3</td> <td>112</td> </tr> </tbody> </table>	SEGRIGATION TRAYS	Tray	Cavity	# Trays	PPST-9300/9400		3/4	84	JZCC-5200		3	112	JZCC-4200		3	112
			SEGRIGATION TRAYS	Tray	Cavity	# Trays													
PPST-9300/9400		3/4	84																
JZCC-5200		3	112																
JZCC-4200		3	112																
<ul style="list-style-type: none"> » 120v / 1700w / 14.2amp » Heated / Ambient 																			
JZHA-198(HD)	 <ul style="list-style-type: none"> » A medium size dual temp cart to deliver 66 meals with a hot tray in heated section and a cold tray in ambient section. Trays with lids stack on floor and on mid-shelf. Can deliver as many as 100 meals with smaller trays. » 6" multi-terrain casters » S/S mid-shelf (additional shelves optional) » Can upgrade to Heavy Duty for high abuse environments » Bottom baffle heat distribution » Top rail to transport tumblers, etc. » Recessed push handle » Side mount snap-in removable heater on right side » Solar digital thermometer » 1 yr parts and labor warranty » 120v / 1700w / 14.2amp » Heated/Ambient 	Height: 64.5" Width: 46" Depth: 31.75"	<table border="1"> <thead> <tr> <th>SEGRIGATION TRAYS</th> <th>Tray</th> <th>Cavity</th> <th># Trays</th> </tr> </thead> <tbody> <tr> <td>PPST-9300/9400</td> <td></td> <td>3/4</td> <td>132</td> </tr> <tr> <td>JZCC-5200</td> <td></td> <td>3</td> <td>200</td> </tr> <tr> <td>JZCC-4200</td> <td></td> <td>3</td> <td>200</td> </tr> </tbody> </table>	SEGRIGATION TRAYS	Tray	Cavity	# Trays	PPST-9300/9400		3/4	132	JZCC-5200		3	200	JZCC-4200		3	200
			SEGRIGATION TRAYS	Tray	Cavity	# Trays													
PPST-9300/9400		3/4	132																
JZCC-5200		3	200																
JZCC-4200		3	200																
<ul style="list-style-type: none"> » Heavy Duty » Height: 66.5" » Width: 46" » Depth: 32.75" 																			
JZ-168	 <ul style="list-style-type: none"> » A large size dual temp cart to deliver 84-120 meals with one hot tray and one cold tray (cold side can be ambient or refrigerated). Can deliver as many as 150 meals with smaller segregation trays. » Short enough to see over while pushing. » Can be configured for meal tray delivery or bulk food pan delivery. » 6" multi-terrain casters (4 swivel with brakes, 2 rigid) » Removable racks fixed at 3" spacing (optional) » Side-mount recessed push handles » Tubular top rail » 12 gauge heavy duty hinges and lockable transport latch » Bolt reinforced full bottom bumper » Solar powered digital thermometer » Side mount snap-in removable heater, left side and top-mount refrigeration system right side » 120v / 1800w / 15amp / NEMA plug 5-20P (refrigerated) » Refrigeration certified to meet DOE regulations » Heated/Ambient or Heated/Refrigerated or Refrigerated/Refrigerated 	Height: 47.5" Width: 62" Depth: 32.5" (add 15" height for refrigeration compressor)	<table border="1"> <thead> <tr> <th>TRAYS</th> <th>Tray</th> <th>Cavity</th> <th># Trays</th> </tr> </thead> <tbody> <tr> <td>PPST-9300/9400</td> <td></td> <td>3/4</td> <td>168</td> </tr> <tr> <td>JZCC-5200</td> <td></td> <td>3</td> <td>280</td> </tr> <tr> <td>JZCC-4200</td> <td></td> <td>3</td> <td>300</td> </tr> </tbody> </table>	TRAYS	Tray	Cavity	# Trays	PPST-9300/9400		3/4	168	JZCC-5200		3	280	JZCC-4200		3	300
			TRAYS	Tray	Cavity	# Trays													
PPST-9300/9400		3/4	168																
JZCC-5200		3	280																
JZCC-4200		3	300																
<table border="1"> <thead> <tr> <th>PANS</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td></td> <td>12x20 4" pan</td> <td></td> <td>28</td> </tr> <tr> <td></td> <td>18x26 sheet pan</td> <td></td> <td>14</td> </tr> </tbody> </table>	PANS					12x20 4" pan		28		18x26 sheet pan		14							
PANS																			
	12x20 4" pan		28																
	18x26 sheet pan		14																
JZ-120-RH	 <ul style="list-style-type: none"> » A large size dual temp cart to deliver 60-84 meals with one hot tray and one cold tray (cold side can be ambient or refrigerated). Can deliver as many as 126 meals with smaller segregation trays and stacked on floor with lids rather than using shelves. » 6" multi-terrain casters (4 swivel with brakes, 2 rigid) » 10 stainless steel shelves on removable racks » Side-mount recessed push handles » Tubular top rail » Full perimeter non-marking vinyl bottom bumper » 12-gauge heavy duty hinges and lockable transport latch » Side mount snap-in removable heater, left side and top-mount refrigeration system right side » 120v / 1800w / 15amp / NEMA plug 5-20P (refrigerated) » Refrigeration certified to meet DOE regulations » Heated/Ambient or Heated/Refrigerated » This cart can be upgraded with the Heavy Duty package. This package is designed to 'harden' the most vulnerable components for especially abusive environments - casters, bumpers, hinges, electronic components. 	Height: 60.25" Width: 57.63" Depth: 29" (add 14.75" height for refrigeration compressor)	<table border="1"> <thead> <tr> <th>TRAYS</th> <th>Tray</th> <th>Cavity</th> <th># Trays on shelves / floor</th> </tr> </thead> <tbody> <tr> <td>PPST-9300/9400</td> <td></td> <td>3/4</td> <td>120 / 168</td> </tr> <tr> <td>JZCC-5200</td> <td></td> <td>3</td> <td>180 / 252</td> </tr> <tr> <td>JZCC-4200</td> <td></td> <td>3</td> <td>180 / 252</td> </tr> </tbody> </table>	TRAYS	Tray	Cavity	# Trays on shelves / floor	PPST-9300/9400		3/4	120 / 168	JZCC-5200		3	180 / 252	JZCC-4200		3	180 / 252
			TRAYS	Tray	Cavity	# Trays on shelves / floor													
PPST-9300/9400		3/4	120 / 168																
JZCC-5200		3	180 / 252																
JZCC-4200		3	180 / 252																
JZ-144-RH	 <ul style="list-style-type: none"> » An Extra-large size dual temp cart to deliver 72-132 meals with one hot tray and one cold tray (cold side can be ambient or refrigerated). Can deliver as many as 180 meals with smaller segregation trays and stacked on floor with lids rather than using shelves. Alternatively, can use to transport bulk food in hotel pans or on sheet pans » 8" multi-terrain casters (4 swivel with brakes, 2 rigid) » Removable racks fixed at 4.5" spacing (use sheet pans as shelves) » Side-mount recessed push handles » Tubular top rail » 12 gauge heavy duty hinges and lockable transport latch » Full perimeter non-marking vinyl bottom bumper » Side mount snap-in removable heater, left side and top-mount refrigeration system right side » 120v / 1800w / 15amp / NEMA plug 5-20P (refrigerated) » Refrigeration certified to meet DOE regulations » Heated/Ambient or Heated/Refrigerated » This cart can be upgraded with the Heavy Duty package. This package is designed to 'harden' the most vulnerable components for especially abusive environments - casters, bumpers, hinges, electronic components. 	Height: 66.25" Width: 62.5" Depth: 31.75" (add 9.75" height for refrigeration compressor)	<table border="1"> <thead> <tr> <th>TRAYS</th> <th>Tray</th> <th>Cavity</th> <th># Trays on shelves / floor</th> </tr> </thead> <tbody> <tr> <td>PPST-9300/9400</td> <td></td> <td>3/4</td> <td>144 / 264</td> </tr> <tr> <td>JZCC-5200</td> <td></td> <td>3</td> <td>192 / 360</td> </tr> <tr> <td>JZCC-4200</td> <td></td> <td>3</td> <td>192 / 378</td> </tr> </tbody> </table>	TRAYS	Tray	Cavity	# Trays on shelves / floor	PPST-9300/9400		3/4	144 / 264	JZCC-5200		3	192 / 360	JZCC-4200		3	192 / 378
			TRAYS	Tray	Cavity	# Trays on shelves / floor													
PPST-9300/9400		3/4	144 / 264																
JZCC-5200		3	192 / 360																
JZCC-4200		3	192 / 378																
<table border="1"> <thead> <tr> <th>PANS</th> <th></th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td></td> <td>12x20 4" pan</td> <td></td> <td>40</td> </tr> <tr> <td></td> <td>18x26 sheet pan</td> <td></td> <td>20</td> </tr> </tbody> </table>	PANS					12x20 4" pan		40		18x26 sheet pan		20							
PANS																			
	12x20 4" pan		40																
	18x26 sheet pan		20																


HEATED & REFRIGERATED FOOD SERVICE EQUIPMENT


STANDARD HEATED CARTS


The result of years of design optimization in the corrections environment focused on food safety and security, durability and ease of use. All stainless steel construction, fully insulated, corrections package. This is not a banquet cart with special fasteners, these carts are specifically designed for corrections applications from the casters up. Detailed specs available upon request.




JZH-6UBT		Features » Small meal delivery cart maneuvers through tight spaces such as old doorways and elevators. » 6" multi-terrain casters » 30¾" width fits most all doorways » Easy to see over while pushing » Top rail to transport tumblers, etc. » Stainless steel mid-shelf	Dimensions Height: 50" Width: 30.75" Depth: 35.13"	Capacity SEGREGATION TRAYS <table border="1"> <thead> <tr> <th>Tray</th> <th>Cavity</th> <th># Trays</th> </tr> </thead> <tbody> <tr> <td>PPST-9300/9400</td> <td>3/4</td> <td>84</td> </tr> <tr> <td>JZCC-5200</td> <td>3</td> <td>130</td> </tr> <tr> <td>JZCC-4200</td> <td>3</td> <td>150</td> </tr> </tbody> </table>	Tray	Cavity	# Trays	PPST-9300/9400	3/4	84	JZCC-5200	3	130	JZCC-4200	3	150
		Tray	Cavity	# Trays												
PPST-9300/9400	3/4	84														
JZCC-5200	3	130														
JZCC-4200	3	150														
» Digital controller/thermometer » 120v / 1700w / 14.2amp » Top mounted convection air heat. Can get without the heat to be an insulated ambient cart: JZA-6UBT																

JZPPST-28-30		Features » Heated cart to transport 30 mainline cafeteria trays (with or without lids) on slides. » 6" HD poly casters » Removable slide racks fixed at 3" spacing (can be customized) » Bottom mount radiant heat	Dimensions Height: 61.34" Width: 27.75" Depth: 29"	Capacity TRAYS <table border="1"> <thead> <tr> <th>Tray</th> <th>Cavity</th> <th># Trays</th> </tr> </thead> <tbody> <tr> <td>PPST-28</td> <td>5</td> <td>30</td> </tr> </tbody> </table>	Tray	Cavity	# Trays	PPST-28	5	30
		Tray	Cavity	# Trays						
PPST-28	5	30								
» 120v / 1300w / 10.8amp » Digital controller/thermometer » Can get without the heat to be an insulated ambient cart: JZPPST-28-30-A										

JZH-1014-60		Features » Heated cart to transport 60 mainline cafeteria trays (with or without lids) on slides. » 5" multi-terrain casters » Removable slide racks fixed at 3" spacing (can be customized) » Bottom mount radiant heat	Dimensions Height: 60.85" Width: 48" Depth: 26.75"	Capacity TRAYS <table border="1"> <thead> <tr> <th>Tray</th> <th>Cavity</th> <th># Trays</th> </tr> </thead> <tbody> <tr> <td>PPST-28</td> <td>5</td> <td>60</td> </tr> </tbody> </table>	Tray	Cavity	# Trays	PPST-28	5	60
		Tray	Cavity	# Trays						
PPST-28	5	60								
» 120v / 1685w / 14.1amp » Digital controller/thermometer » Can get without the heat to be an insulated ambient cart: JZA-1014-60										

JZHH-120		Features » A large size heated cart to deliver 120 large segregation trays on shelves. Can deliver as many as 252 smaller segregation trays stacked on floor with lids rather than using shelves. » 6" multi-terrain casters (4 swivel with brakes, 2 rigid) » 10 stainless steel shelves on removable racks » Side-mount recessed push handles » Tubular top rail » Full perimeter non-marking vinyl bottom bumper	Dimensions Height: 64.75" Width: 52.75" Depth: 29"	Capacity TRAYS <table border="1"> <thead> <tr> <th>Tray</th> <th>Cavity</th> <th># Trays on shelves / floor</th> </tr> </thead> <tbody> <tr> <td>PPST-9300/9400</td> <td>3/4</td> <td>120 / 168</td> </tr> <tr> <td>JZCC-5200</td> <td>3</td> <td>180 / 252</td> </tr> <tr> <td>JZCC-4200</td> <td>3</td> <td>180 / 252</td> </tr> </tbody> </table>	Tray	Cavity	# Trays on shelves / floor	PPST-9300/9400	3/4	120 / 168	JZCC-5200	3	180 / 252	JZCC-4200	3	180 / 252
		Tray	Cavity	# Trays on shelves / floor												
PPST-9300/9400	3/4	120 / 168														
JZCC-5200	3	180 / 252														
JZCC-4200	3	180 / 252														
» 12-gauge heavy duty hinges and lockable transport latch » Recessed digital temperature controller / thermometer with security cover » Bottom mount radiant heat both sides » 120v / 1920P / 16amp » Heated/Heated																

This cart can be upgraded with the **Heavy Duty package**. This package is designed to 'harden' the most vulnerable components for especially abusive environments - casters, bumpers, hinges, electronic components.

JZHH-144		Features » An Extra-large size heated cart to deliver 144 large segregation trays on sheet pans. Can deliver as many as 360 smaller segregation trays and stacked on floor with lids rather than using shelves. Alternatively, can use to transport bulk food in hotel pans or on sheet pans » 8" multi-terrain casters (4 swivel with brakes, 2 rigid) » Removable racks fixed at 4.5" spacing (use sheet pans as shelves) » Side-mount recessed push handles » Tubular top rail » Full perimeter non-marking vinyl bottom bumper	Dimensions Height: 66" Width: 62.25" Depth: 31.75"	Capacity TRAYS <table border="1"> <thead> <tr> <th>Tray</th> <th>Cavity</th> <th># Trays on shelves / floor</th> </tr> </thead> <tbody> <tr> <td>PPST-9300/9400</td> <td>3/4</td> <td>144 / 264</td> </tr> <tr> <td>JZCC-5200</td> <td>3</td> <td>192 / 360</td> </tr> <tr> <td>JZCC-4200</td> <td>3</td> <td>192 / 378</td> </tr> </tbody> </table> PANS <table border="1"> <tbody> <tr> <td>12x20 4" pan</td> <td></td> <td>40</td> </tr> <tr> <td>18x26 sheet pan</td> <td></td> <td>20</td> </tr> </tbody> </table>	Tray	Cavity	# Trays on shelves / floor	PPST-9300/9400	3/4	144 / 264	JZCC-5200	3	192 / 360	JZCC-4200	3	192 / 378	12x20 4" pan		40	18x26 sheet pan		20
		Tray	Cavity	# Trays on shelves / floor																		
PPST-9300/9400	3/4	144 / 264																				
JZCC-5200	3	192 / 360																				
JZCC-4200	3	192 / 378																				
12x20 4" pan		40																				
18x26 sheet pan		20																				
» 12 gauge heavy duty hinges and lockable transport latch » Recessed digital temperature controller / thermometer with security cover » Bottom mount radiant heat both sides » 120v / 1920w / 16amp / NEMA plug 5-20P » Heated/Heated																						


This cart can be upgraded with the **Heavy Duty package**. This package is designed to 'harden' the most vulnerable components for especially abusive environments - casters, bumpers, hinges, electronic components.

STANDARD DUAL TEMP CARTS

Dual Temperature Carts are used in applications where the meal is served in two different trays. Put the hot food in one tray and place it in the heated compartment of the cart. Put the cold food, flatware and condiments in another tray and put it in the other compartment of the cart which can be ambient or refrigerated. Push the cart to housing unit and hand inmate both trays.



JZ-120 Series



Features

- » A large size dual temp cart to deliver 60 meals with one hot tray and one cold tray (cold side can be ambient or refrigerated). Can deliver as many as 126 meals with smaller segregation trays and stacked on floor with lids rather than using shelves.
- » 6" multi-terrain casters (4 swivel with brakes, 2 rigid)
- » 10 stainless steel shelves on removable racks
- » Side-mount recessed push handles
- » Tubular top rail
- » Full perimeter non-marking vinyl bottom bumper
- » 12-gauge heavy duty hinges and lockable transport latch
- » Recessed digital temperature controller / thermometer with security cover
- » Bottom mount radiant heat left side and top-mount refrigeration system right side
- » 120v / 1680w / 14amp / NEMA plug 5-20P (refrigerated)
- » Refrigeration certified to meet DOE regulations
- » Heated/Ambient or Heated/Refrigerated or Refrigerated/Refrigerated

Dimensions

Height: 64.75"
Width: 52.75"
Depth: 29"


(add 10.25" height for refrigeration compressor)

Capacity

TRAYS	Tray	Cavity	# Trays on shelves / floor
	PPST-9300/9400	3/4	120 / 160
JZCC-5200	3	180 / 252	
JZCC-4200	3	180 / 252	

This cart can be upgraded with the **Heavy Duty package**. This package is designed to 'harden' the most vulnerable components for especially abusive environments - casters, bumpers, hinges, electronic components.

JZ-144 Series



Features

- » An Extra-large size dual temp cart to deliver 72 meals with one hot tray and one cold tray (cold side can be ambient or refrigerated). Can deliver as many as 180 meals with smaller segregation trays and stacked on floor with lids rather than using shelves. Alternatively, can use to transport bulk food in hotel pans or on sheet pans
- » 8" multi-terrain casters (4 swivel with brakes, 2 rigid)
- » Removable racks fixed at 3" spacing (use sheet pans as shelves)
- » Side-mount recessed push handles
- » Tubular top rail
- » Full perimeter non-marking vinyl bottom bumper
- » Recessed digital temperature controller / thermometer with security cover
- » 12 gauge heavy duty hinges and lockable transport latch
- » Bottom mount radiant heat left side and top-mount refrigeration system right side
- » 120v / 1680w / 14amp / NEMA plug 5-20P (refrigerated)
- » Refrigeration certified to meet DOE regulations
- » Heated/Ambient or Heated/Refrigerated or Refrigerated/Refrigerated

Dimensions

Height: 66"
Width: 62.25"
Depth: 31.75"

(add 10" height for refrigeration compressor)


Capacity

TRAYS	Tray	Cavity	# Trays on shelves / floor
	PPST-9300/9400	3/4	144 / 264
JZCC-5200	3	192 / 360	
JZCC-4200	3	192 / 378	

PANS	12x20 4" pan	18x26 sheet pan
	40	20

This cart can be upgraded with the **Heavy Duty package**. This package is designed to 'harden' the most vulnerable components for especially abusive environments - casters, bumpers, hinges, electronic components.

JZHA-60 Nesting Tray



Features

- » A large size dual temp cart to deliver 60 meals with one hot tray in heated section and one cold tray in ambient section. Hot side is with 3-compartment segregation tray with lid stacked on the floor. Cold side is with mainline cafeteria tray on slides. NEST THE HOT TRAY ON THE COLD TRAY AND SERVE.
- » 6" heavy duty poly casters (4 swivel with brakes, 2 rigid)
- » Full perimeter non-marking vinyl bottom bumper
- » Tubular top rail
- » Side-mount welded push handles
- » 12-gauge lockable transport latch covers all three doors at once
- » Tray slides fixed at 3" spacing on removable racks on ambient side
- » Top mount forced air heat on left side
- » 12-gauge heavy duty hinges
- » 120v / 1500w / 14.3amp / NEMA plug 5-15P
- » Heated/Ambient

Dimensions

Height: 65.8"
Width: 54"
Depth: 30"

Capacity Per Side

TRAYS	Tray	Cavity	# Trays
	JZCC-4200/5200	3	60
PPST-1570	6	60	

HEATED & REFRIGERATED FOOD SERVICE EQUIPMENT

EQUIPMENT OPTIONS AND ACCESSORIES

No two correctional facilities are the same and neither are two food service operations the same. Each application requires specific solutions to specific problems. Below you will find many options to customize how your food service equipment works for you.



GENERAL EQUIPMENT OPTIONS

Option	Description	Option	Description
Uptime Maintenance Kit	All the critical spare parts for your JZ equipment in one convenient tool box. Don't wait for parts to fix needed equipment.	Racks with Shelves / Slides	Customize racks, slides and shelves to accommodate your process to load and unload food
Heavy Duty Upgrade Package	For high abuse environments harden the most vulnerable components to increase equipment durability	Cold Plates	Freeze cold plates and place in mounting brackets of ambient section of a cart to keep food chilled longer
Tow Package	Full chassis all welded steel frame. Pin style hitch locks in the up position without hardware. Rated for 8,000lbs	Lock Tether	Permanently chain pad locks to cart to prevent lock from being misplaced or stolen
Brake Assembly	"Deadman" brake assist engages when releasing push lever	Exterior Shelving	Often used for beverage service, permanently mounted exterior shelves allow for maximum service versatility
Premium Casters	Get the right caster for your application. concrete; cracks; outdoor; potholes; towing, etc. (see page 15)	Drop-down Handle	Hinged handle allows carts to be "pulled" at a safe distance from heels
		Floor Lock	Easy access foot pedal to lock cart in place. Ideal for transporting carts in a box truck.



MISSION-READY SPECIFIC OPTIONS

Option	Description
Spare Heater	When heated equipment goes down, snap in a spare in seconds for Maximize Uptime!
Bumper Guards	Protect the heat box from impacts with horizontal objects with front edge mounted bumper guards
Insulated Panel	Substitute the heat box for an insulated panel to convert a heated cart to an ambient cart and vice versa
JZH-198HD	Upgrade your JZH-198 to a Heavy Duty version for high abuse environments
Heat Box Lock	Choose either heat box lock mechanism to be able to use your institution pad locks or key lock slam latch
Spare Heater Cabinet	Secure up to 8 spare heaters in a lockable stainless steel cabinet
Shelves / Slides	Add shelves and/or racks and slides to your cart to make it easy to load and unload meal trays


RACKS

DRYING RACKS


Full range of drying racks to accommodate mainline trays, insulated trays, segregation trays, tray lids, all sizes of steam table pans and lids, sheet pans, etc. Save space in your kitchen with high capacity drying racks. The unique plastic insert technology lowers initial costs, lowers replacement costs, is more sanitary. Extend the life of your trays by not running them over metal edges every day. Can mix-n-match plastic inserts to make a rack universal for multiple items. All heavy duty corrections construction.




4 SHELF INSERT DRYING RACK FOR INSULATED TRAYS OR SEGREGATION TRAYS

Item	Model	Steel	Aluminum	Dimensions	TRAYS	Capacity			
						Tray	# Trays	Tray	# Trays
	JZDRA-92	✓	✓	Height: 72.7" Width: 80.5" Depth: 22.9"	TRAYS	Insulated	184	4000/5000	276
						9000 segregation	184	segregation	
						SMART	184		


5 SHELF INSERT DRYING RACK FOR SEGREGATION TRAYS

Item	Model	Steel	Aluminum	Dimensions	TRAYS	Capacity			
						Tray	# Trays	Tray	# Trays
	JZDRA-115		✓	Height: 72.7" Width: 80.5" Depth: 22.9"	TRAYS	9000 segregation series	230	4000/5000 segregation	345


4 SHELF INSERT DRYING RACK FOR CAFETERIA TRAYS or STEAM PANS

Item	Model	Steel	Aluminum	Dimensions	TRAYS	Capacity			
						Tray	# Trays	Item	# Trays
	JZDRA-156	✓	✓	Height: 72.7" Width: 80.5" Depth: 22.9"	TRAYS	Standard Mainline	312	4" Steam Pans	57


4 SHELF INSERT DRYING RACK FOR SHEET PANS

Item	Model	Steel	Aluminum	Dimensions	TRAYS	Capacity	
						Item	# Trays
	JZDRA-220SP		✓	Height: 80.2" Width: 80.5" Depth: 22.9"	TRAYS	Standard Sheet Pans	220


4 SHELF INSERT DRYING RACK FOR STEAM PANS

Item	Model	Steel	Aluminum	Dimensions	TRAYS	Capacity	
						Item	# Trays
	JZDRA-76TP		✓	Height: 82.5" Width: 80.5" Depth: 22.9"	TRAYS	4" 12X20 Steam Pans	76

4 SHELF HANGING DRYING RACK FOR SEGREGATION TRAYS

Item	Model	Steel	Aluminum	Dimensions	TRAYS	Capacity	
						Tray	# Trays
	JZDRA-240H		✓	Height: 64.5" Width: 60" Depth: 28"	TRAYS	9000 Segregation	240
						4000/5000 Segregation	320




3 LEVEL SLOT DRYING RACK *(requires sample of tray/pan to order)*

Item	Model	Steel	Aluminum	Dimensions	TRAYS	Capacity			
						Tray	# Trays	Item	# Trays
	JZDRA-276S		✓	Height: 75.5" Width: 64" Depth: 28.5"	TRAYS	10x14 Mainline Trays	144	18x26 Sheet Pans	138
	JZDRA-14S					Insulated Trays	144	SMART Tray	144

FEATURES of INSERT Drying Racks

- » 5 Year structural warranty. Lifetime non-corrosion
 - » All-welded aluminum corrections grade construction
 - » Type 6063-t5 aluminum alloy with wall thickness of 0.070"
 - » 6" Poly casters (4 swivel w/ brake)
 - » More sanitary. Lift out inserts and run them through dishwasher
 - » Inserts are copolymer, dishwasher safe, shatterproof and resist sharpening
 - » Each rack can accommodate any of the 3 insert sizes. Mix-n-match for universal rack.
- Your JonesZylon rep will help you design the best rack configuration for your application

INSERTS FOR DRYING RACKS



	Model	Slot Width	Slots Per Shelf	Intended Use
	JZDRI-3	3"	23	Insulated Trays / Segregation Trays SMART Trays
	JZDRI-4	1.125"	55	Sheet pans / Tray lids / Steam pan lids
	JZDRI-5	1.813"	39	Mainline (cafeteria) trays / Steam pans

RACKS




BUN PAN RACKS

Heavy-duty, corrections grade racks efficiently move sheet pans of food. Available in open and closed configuration

	Features	Dimensions	Casters	Runner Space	Pan Capacity 18"x26"
JZA-1826-20-0	 <ul style="list-style-type: none"> » Open sheet pan rack for 20 sheets » 5 Year structural warranty. Lifetime non-corrosion » All-welded aluminum corrections grade construction » Heavy-duty high tensile extruded aluminum type 6063-t5 » Reinforced with welded angle gussets » All fasteners tamper resistant 	Height: 69.7" Width: 20.4" Depth: 26"	5"	3"	20
JZA-1826-38-E	 <ul style="list-style-type: none"> » Enclosed sheet pan rack, heavy duty, for 38 sheets » 5 Year structural warranty. Lifetime non-corrosion » All-welded aluminum corrections grade construction » 4 Heavy duty stainless steel hinges. Door swings open 270° » Positive gravity catch holds doors closed with holes for padlocks » Universal card holder is fixed to door front » Corrugated aluminum side panels 	Height: 69.4" Width: 20.9" Depth: 27.7"	6"	1.5"	38

CAFETERIA TRAY STAGING CART

Item	Model	Steel	Aluminum	Dimensions	Capacity
	JZSCA-1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Height: 48" Length: 43" Depth: 27"	200 any type cafeteria tray (i.e. JonesZyLLon PPST-28)


FEATURES of the Staging Carts

- » 5 Year structural warranty. Lifetime non-corrosion
- » All-welded corrections grade construction
- » 6" Poly casters (2 fixed, 2 swivel w/ brake)
- » Optimized for common mainline serving trays. 4 Stacks of 50
- » Push/pull handle each side
- » 1/2 size and 1/4 size carts available for 100 trays and 50 trays


OPEN TRAY TRANSPORT CARTS

Transport insulated trays on lower shelf and drinks/misc. on top from kitchen to in-cell feeding area.

STANDARD DUTY

Item	Model	Steel	Alum.	Dimensions	Capacity			
					Model	# Trays	Model	# Trays
	TC-49E	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Height: 47" Length: 49" Depth: 28"	PRTS-4000	84	PRTS-6000	90
					PRTS-5000	119		

HEAVY DUTY

Item	Model	Steel	Alum.	Dimensions	Capacity			
					Model	# Trays	Model	# Trays
	TC-49A	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Height: 47" Length: 49" Depth: 28"	PRTS-4000	84	PRTS-6000	90
					PRTS-5000	119		

FEATURES of the Open Transport Carts

- » 5 Year structural warranty
- » All-welded corrections grade construction
- » 5" Poly casters (2 fixed, 2 swivel w/ brake)
- » Push / pull handle
- » Raised lip top shelf for beverages or other cargo
- » Punched and notched shelves for hold-down straps
- » Available hold-down straps
- » Available as extra long 69" cart


CARTS


ENCLOSED TRAY TRANSPORT CARTS


Metal, all-welded carts stand up to the abuses of the correctional environment. All carts are backed by a 5-year warranty.



servesmart
PRODUCTS

TC-90 SMT		Dimensions		Capacity			
		Height: 43.1"	Width: 44.75"	Depth: 24.4"	Tray	Cavity	# Trays
					SmartTray	5	90
					Rock	5	85
					X-Tray	5	60
					PRTS-4000	4	30
					PRTS-5000	5	39
					PRTS-6000	6	33

TC-136 SMT		Dimensions		Capacity			
		Height: 46.9"	Width: 50.9"	Depth: 28.5"	Tray	Cavity	# Trays
					SmartTray	5	136
					Rock	5	120
					X-Tray	5	84
					PRTS-4000	4	36
					PRTS-5000	5	90
					PRTS-6000	6	39

TC-170 SMT		Dimensions		Capacity			
		Height: 47.1"	Width: 60.2"	Depth: 28.5"	Tray	Cavity	# Trays
					SmartTray	5	170
					Rock	5	140
					X-Tray	5	98
					PRTS-4000	4	48
					PRTS-5000	5	105
					PRTS-6000	6	52


FEATURES of the ServeSmart Aluminum Carts

- » All welded aluminum
- » Bottom corner bumpers
- » 6" TPR casters
- » 4 sided top rail doubles as handles
- » Stainless steel dropdown latch, padlock-able
- » Sized to perfectly fit SmartTray for best tray capacity
- » 5 year structural warranty
- » Lifetime guarantee against corrosion
- » Low profile for clear view over the top during transport
- » Corrections grade durability and construction
- » Sanitary and easy to clean materials
- » Will hold temperatures as well as plastic insulated carts


ENCLOSED TRAY TRANSPORT CARTS FOR INSULATED TRAYS

Transport insulated trays within cabinet and drinks/misc. on top from kitchen to in-cell feeding area. Heavy Duty latch keeps food secured from theft. Using enclosed carts improves food temperature retention and gives you more time to deliver.


MEDIUM | STANDARD DUTY

Item	Model	Dimensions	Capacity	
			Model	# Trays
	TC-49A ENCL	Height: 52.5" Length: 53" Depth: 33.8"	PRTS-4000	90
			PRTS-5000	126
			PRTS-6000	90

LARGE | HEAVY DUTY

Item	Model	Dimensions	Capacity	
			Model	# Trays
	TC-68HD	Height: 53.1" Length: 68.5" Depth: 33.3"	PRTS-4000	112
			PRTS-5000	136
			PRTS-6000	120

EXTRA LARGE | HEAVY DUTY

Item	Model	Dimensions	Capacity	
			Model	# Trays
	TC-73HD	Height: 54.1" Length: 73.5" Depth: 34"	PRTS-4000	140
			PRTS-5000	204
			PRTS-6000	135

FEATURES of the Enclosed Transport Carts

STANDARD DUTY

- » 5 Year structural warranty. Lifetime non-corrosion
- » All-welded corrections grade construction
- » Can easily see over during transport
- » Sanitary. Easy to clean to 'like new' appearance
- » 6" Poly casters (2 fixed, 2 swivel w/ brake)
- » 3-Sided top rail that doubles as a push/pull handle
- » Stainless steel dropdown latch, padlock-able

HEAVY DUTY

- » 5 Year structural warranty. Lifetime non-corrosion
- » All-welded aluminum corrections grade construction
- » Bracket and weld reinforcements throughout cart
- » 3 Heavy duty hinges per door
- » Full perimeter bottom bumper
- » Top corner bumpers
- » Can easily see over during transport
- » Sanitary. Easy to clean to 'like new' appearance
- » 8" Poly casters (2 fixed, 4 swivel w/ brake)
- » Center casters allow to turn on its own length
- » 4-Sided top rail that doubles as a push/pull handle
- » Stainless steel bolt latch, padlock-able



CASTER OPTIONS



HEAVY DUTY POLY

Heavy Duty polymer casters are for lighter carts and racks. They are hard for easy rolling over smooth surfaces.



MULTI-TERRAIN

Multi-terrain Casters have some cushioning to better go over small cracks and joints such as tile and thresholds.



PREMIUM MULTI-TERRAIN

Premium Multi-terrain Casters are easier to push as both starting force and continuing forces are lower. They have superior cushioning to handle more severed cracks and are especially quiet. Their kingpinless swivel design make them the best option for towing. They are more durable, needing to be replaced less often.

Recommended for:

- » Drying and/or pan racks
- » Utility carts
- » Refrigerated holding cabinet

- » Meal delivery carts
- » Hot box

- » Meal delivery carts
- » Hot box
- » Rougher terrain
- » Towing
- » Healthcare



CORRECTIONS HYGIENE/ADMISSION KITS

Admission kits for inmates. Pre-kitted and packaged or available in case quantities to kit on location. Well priced kits are completely customizable from overnight to intermediate stay to long term. Choose from a large selection of hygiene items for the kit that is perfect for your application.

These general purpose kits are usually packed in a zip-lock bag. We can also supply them in virtually any type of packaging.

OVERNIGHT KIT




Kit #: 566001 | Case quantity: 100 | Notes: Packaging - bag minigrip 5x7 2 mil

Item	Description	Qty	Unit
 700044	Maximum Security Toothbrush (thumbprint handle)	1	ea.
 704004	Single Use Clear Gel Toothpaste Packet	1	ea.

Item	Description	Qty	Unit
 712680	#1/2 Deodorant Soap (vegetable base)	1	ea.
 700054	5" Black Comb	1	ea.

MULTI-NIGHT KIT





Kit #: 566002 | Case quantity: 50 | Notes: Packaging - bag minigrip 5x7 2 mil




Item	Description	Qty	Unit
 700044	Maximum Security Toothbrush (thumbprint handle)	1	ea.
 704006	0.85 oz. Clear Gel Toothpaste	1	ea.
 712680	#1/2 Deodorant Soap (vegetable base)	1	ea.

Item	Description	Qty	Unit
 810129	0.33 oz. Shampoo, Shave Lotion and Body Wash	3	ea.
 810165	Single Blade Razor (clear head and clear handle)	1	ea.
 700054	5" Black Comb	1	ea.

LONG-TERM KIT

Kit #: 566003 | Case quantity: 40 | Notes: Packaging - bag minigrip 5x7 2 mil

Item	Description	Qty	Unit
 700044	Maximum Security Toothbrush (thumbprint handle)	1	ea.
 704006	0.85 oz. Clear Gel Toothpaste	1	ea.
 712680	#1/2 Deodorant Soap (vegetable base)	1	ea.
 710024	2 oz. Shampoo/Shave Gel/Body Wash (3 in 1)	1	ea.

Item	Description	Qty	Unit
 810165	Single Blade Razor (clear head and clear handle)	1	ea.
 712792	1.5 oz. Roll-On AP Deodorant (alcohol free)	1	ea.
 700054	5" Black Comb	1	ea.



P.O. Box 149 | West Lafayette, Ohio 43845 | 800-848-8160 phone | 877-632-6344 fax | jzsales@joneszylon.com email

www.joneszylon.com



JonesZylon

